

B- Line

B-Line S.r.l.
Via Galileo Galilei, 13/B
35030 - Sarmeola di Rubano (PD)
ITALY

T. +39 049 8978245
F. +39 049 633499
E. info@b-line.it
W. b-line.it

ESA

Design by Kazuhide Takahama

CARTELLA TESSUTI / FABRIC REFERENCE CHART

CW

CLUB SWING
FLUSKO



TCW201



TCW205



TCW208



TCW209



TCW219

FP

PLAT INUM
FLUKSO



TFP12



TFP22



TFP23



TFP27



TFP30



TFP35



TFP44

VG

GORGEOUS
FLUKSO



TVG2111



TVG2114




TVG2127



TVG2131




TVG2148




TVG2153

RX

REMIX 3
KVADRAT



TRX123



TRX196



TRX422



TRX566



TRX686




TRX716




TRX842

PT


PATIO
KVADRAT



TPT170



TPT210




TPT450



TPT570




TPT750




TPT840

HE


HERO 2
KVADRAT




THE152



THE162



THE212




THE542



THE582



THE752



THE882

ST

STEELCUT TRI0 3
KVADRAT



TST213




TST453



TST576



TST796



TST806



TST976



TST983

SC


STEELCUT 3
KVADRAT




TSC190



TSC240



TSC522




TSC605



TSC682



TSC780



TSC922

LN


PANAMA
DANI




LN5080




LN5300



LN5310



LN5428




LN5460



LN5506

SU


S I SU
KVADRAT




TSU195



TSU405



TSU655



TSU765



TSU885

SPECIFICHE TESSUTI
/ FABRIC FEATURES

CW
CLUB SWING FLUSKO

57% Cotone/ Cotton
18% Poliestere/ Polyester
18% VIS
5% ACR
2% AF



330 g/mq/ g/sqm

RX
REMIX 3 KVADRAT

90% Lana vergine/ Pure wool
10% Nylon



420 g/mtl/ g/lin.m
100.000 Martindale

ST
STEELCUT TRIO 3 KVADRAT

90% Lana vergine/ Pure wool
10% Nylon



770 g/mtl/ g/lin.m
100.000 Martindale

SU
SISU KVADRAT

91% Lana vergine della
Norvegia/
Pure Norwegian wool
8% Lana vergine della Nuova
Zelanda/
Pure New Zealand wool
1% Nylon



1.100 g/mtl/ g/lin.m
70.000 Martindale

FP
PLATINUM FLUKSO

82% PVC
18% PES



650 g/mq/ g/sqm
100.000 Martindale

PT
PATIO KVADRAT

100% Trevira CS



560 g/mtl/ g/lin.m
50.000 Martindale

Resistenza alla luce 7/ Lightfastness 7
EN ISO 105 B04
EN ISO 105 B02

SC
STEELCUT 3 KVADRAT

90% Lana vergine/ Pure wool
10% Nylon



825 g/mtl/ g/lin.m
100.000 Martindale

VG
GORGEOUS FLUKSO

100% PES FR - Trevira CS



450 g/mq/ g/sqm
100.000 Martindale

HE
HERO 2 KVADRAT

97% Lana vergine/ Pure wool
3% Nylon



580 g/mtl/ g/lin.m
45.000 Martindale

LN
PANAMA DANI

100% Pelli bovine europee/
European cow hides

sp/ thk
1,0-1,2 mm

Resistenza allo strappo/
Tear resistance
20 N I EN ISO 3377 -1

Resistenza alla flessione/
Flex resistance

Nessuna rottura in 50.000 cicli/
No damage in 50.000 cycles
EN ISO 5402 -1